

STIC Search Report

STIC Database Tracking

To:Tom Beach Location: 3B49 Art Unit: 3600

Wednesday, May 24, 2006

Case Serial Number: 09/659382

From: Etelka R. Griffin

Location: EIC 3600 KNOX/4B68

Phone:571-272-4230

Etelka.griffin@uspto.gov

Searda Notes

LITIGATION-5802748

Searches completed on the following databases:

LEXIS/NEXIS
QUESTEL/ORBIT
`COURTLINK



Source: Legal > Area of Law - By Topic > Patent Law > Patents > U.S. Patents > Utility, Design and Plant Patents

Terms: patno=5802748 (Edit Search | Suggest Terms for My Search)

679851 (08) 5802748 September 8, 1998

UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT

5802748

♦ Get Drawing Sheet 1 of 3 Access PDF of Official Patent *

Check for Patent Family Report PDF availability *

* Note: A transactional charge will be incurred for downloading an Official Patent or Patent Family Report. Your acceptance of this charge occurs in a later step in your session. The transactional charge for downloading is outside of customer subscriptions; it is not included in any flat rate packages.

Order Patent File History / Wrapper from REEDFAX® Link to Claims Section

September 8, 1998

Tiered trenching backhoe system

REISSUE: September 8, 2000 - Reissue Application filed Ex. Gp.: 3625; Re. S.N. 09/659,382

(O.G. October 15, 2002)

APPL-NO: 679851 (08)

FILED-DATE: July 15, 1996

GRANTED-DATE: September 8, 1998

CORE TERMS: syncline, fluke, triangular, coupler, welded, removably, prior art, trihedral,

interior, projecting ...

ENGLISH-ABST:

A new Tiered Trenching Backhoe System for creating a dual tiered trench which allows one service utility to be elevated above another service utility thereby preventing contact of the two service utilities resulting in increased safety. The inventive device includes a syncline plate with an interior angle of approximately 140 degrees, a first and second triangular coupler welded at one end to the syncline plate removably coupling to a pair of existing tooth shanks of a backhoe bucket, a first and second fluke welded to the syncline plate opposite of the triangular couplers, a first and second trihedral support members welded to the interior portion of syncline plate providing support, and a pair of replaceable teeth removably secured to the first and second flukes.

Source: Legal > Area of Law - By Topic > Patent Law > Patents > U.S. Patents > Utility, Design and Plant

Patents


Terms: patno=5802748 (Edit Search | Suggest Terms for My Search)

View: Custom

Segments: Abst. Assignee, English-abst, Reissue Date/Time: Wednesday, May 24, 2006 - 11:59 AM EDT

EXISNEXIS® Total Research System Switch Client Preferences Feedback	Sign Off	Hetp	
y Lexis™ Search Research Tasks Search Advisor Get a Document Shepard's® Alerts Surces Guided Search Forms Command Searching	History	LD C	
Legal > Area of Law - By Topic > Patent Law > Legal News > Patent, Trademark & Copyright Combined	Periodical	s,	
Enter Search Terms	search	Con	
Terms and Connectors	Use conne	ectors	
5802748 or 5,802,748 Suggest Terms for My Search		between search connector for de connector to ad	
Restrict by Segment: Select a segment, enter search terms for the segment, then click Add.	Syntax and or w/N not w/N	Def and or withi not v	
Select a Segment Add 1	pre /N w/p	prec in sa	
Note: Segment availability differs between sources. Segments may not be applied consistently across sources. Restrict by Date:	not w/p w/seg not w/seg w/s not w/s	not i in sa not i in sa not i	
No Date Restrictions C From To Date Formats	and not	and View	

My Lexis™ | Search | Research Tasks | Search Advisor | Get a Document | Shepard's® | Alerts
History | Delivery Manager | Switch Client | Preferences | Feedback | Sign Off | Help



About LexisNexis : Terms & Conditions

Copyright © 2006 LexisNexis, a division of Reed Elsevier Inc. All rights reserved.

No Documents Found!

No documents were found for your search terms "5802748 or 5,802,748"

Click "Save this search as an Alert" to schedule your search to run in the future.

- OR -


Click "Edit Search" to return to the search form and modify your search.

Suggestions:

- · Check for spelling errors.
- Remove some search terms.
- Use more common search terms, such as those listed in "Suggested Words and Concepts"
- Use a less restrictive date range.

Save this Search as an Alert

Edit Search



LexisNexis

About LexisNexis

Terms & Conditions
Copyright © 2006 LexisNexis, a division of Reed Elsevier Inc. All rights

EXIS NEXIS Total Research Sy. Ny Lexis Tell Search Research Taxources Guided Search Forms Con Legal > Area of Law - By Topic > and Administrative Materials	sks Search Advi		ument Shepa		History	IP)
Enter Search Terms Terms and Connectors Nature		sy Search	3 Suggest Terms	2 ^{3.4}	Search Use conne	ectors
5802748 or 5,802,748			for My Search Check Spelling		connector connector Syntax	to ad
Suggested Words and Conce five-tenth Commerce Department inning economy increase inflation inventory quarter. New York engine playoff price	epts for Entered rose decline shot restaurant game Labor Department	Terms: victory economist feil scored played host			and or. w/N not w/N pre /N w/p not w/p w/seg not w/seg w/s	and or within ot v precin senotiin senotiin se
Restrict by Segment: Select a segment, enter search ter Select a Segment	rms for the segmen	nt, then click Add.			not w/s and not	not i and <u>View</u>
Note: Segment availability differs between Restrict by Date: No Date Restrictions			ied consistently ac	ross sources.		

My Lexis™ | Search | Research Tasks | Search Advisor | Get a Document | Shepard's® | Alerts History | Delivery Manager | Switch Client | Preferences | Feedback | Sign Off | Help



About LexisNexis : Terms & Conditions

Copyright © 2006 LexisNexis, a division of Reed Elsevier Inc. All rights reserved.

No Documents Found!

No documents were found for your search terms "5802748 or 5,802,748"

Click "Save this search as an Alert" to schedule your search to run in the future.

- OR -


Click "Edit Search" to return to the search form and modify your search.

Suggestions:

- Check for spelling errors.
- · Remove some search terms.
- Use more common search terms, such as those listed in "Suggested Words and Concepts"
- Use a less restrictive date range.

Z Save this Search as an Alent

Edit Search



About LexisNexis : Terrns & Conditions Lexis Nexis Copyright © 2006 LexisNexis, a division of Reed Elsevier Inc. All rights Order Documents : Available Courts : Total Litigator : Lexis.com | Sign Out | Learning Center

LexisNexis CourtLink

Welcome Etelka Griffin!

My CourtLink Search Dockets & Documents Track Alert Strategic Profiles My Account



Search > Patent Search > Searching

Patent Search - Number: 5802748

No cases found.

Retien to Seamin

(Charges for search still apply)

Pricing

Privacy

Master Services Agreement

<u>Copyright ©</u> 2006 LexisNexis, a division of Reed Elsevier Inc. All rights reserved.

```
PLUSPAT - @QUESTEL-ORBIT - image
Patent Number :
  US5802748 A 19980908 [US5802748]
Title :
  (A) Tiered trenching backhoe system
Inventor(s):
  (A) HAAGENSTAD RONALD G (US)
Application Nbr :
  US67985196 19960715 [1996US-0679851]
Priority Details :
  US67985196 19960715 [1996US-0679851]
Intl Patent Class :
  (A) E02F-003/96
IPC Advanced All:
  E02F-003/96 [2006-01 A - I R M EP]; E02F-009/28 [2006-01 A - I R M EP]
  E02F-003/04 [2006 C - I R M EP]; E02F-009/28 [2006 C - I R M EP]
EPO ECLA Class :
  E02F-003/96
  E02F-009/28A2
EPO ICO Class :
  P02F-009/28K
US Patent Class :
  ORIGINAL (O): 037405000; CROSS-REFERENCE (X): 037403000 037903000
414724000
Document Type :
  Corresponding document
Citations :
  US2838856; US2864184; US2896343; US3181256; US3307277; US3478449;
  US3942271; US4009529; US4038766; US4085530; US4360980; US4550512;
  US4704811; US5212897
Publication Stage :
  (A) United States patent
  A new Tiered Trenching Backhoe System for creating a dual tiered trench
  which allows one service utility to be elevated above another service
  utility thereby preventing contact of the two service utilities
  resulting in increased safety. The inventive device includes a syncline
  plate with an interior angle of approximately 140 degrees, a first and
  second triangular coupler welded at one end to the syncline plate
  removably coupling to a pair of existing tooth shanks of a backhoe
 bucket, a first and second fluke welded to the syncline plate opposite
  of the triangular couplers, a first and second trihedral support members
  welded to the interior portion of syncline plate providing support, and
  a pair of replaceable teeth removably secured to the first and second
  flukes.
1 / 1
      LGST - ©EPO
Patent Number :
  US5802748 A 19980908 [US5802748]
Application Number :
  US67985196 19960715 [1996US-0679851]
Action Taken :
```

20021015 US/RF-A

REISSUE APPLICATION FILED EFFECTIVE DATE: 20000908

Update Code: 2003-22

1 / 1 CRXX - @CLAIMS/RRX

Patent Number :

5,802,748 A 19980908 [US5802748]

Patent Assignee :

Haagenstad, Ronald G

Actions :

20000908 REISSUE REQUESTED ISSUE DATE OF O.G.: 20021015 REISSUE REQUEST NUMBER: 09/659382

REISSUE REQUEST NUMBER: 09/609362

EXAMINATION GROUP RESPONSIBLE FOR REISSUEPROCESS: 3625

Reissue Patent Number:

```
1 / 1 INPADOC - @INPADOC
Patent Number :
 US 5802748 A 19980908 [US5802748]
Title :
 TIERED TRENCHING BACKHOE SYSTEM
Inventor(s):
 HAAGENSTAD RONALD G [US]
Patent Assignee (Words) :
 HAAGENSTAD RONALD G [US]
Application Details :
 US 679851/96-A 19960715 [1996US-0679851]
Priority Details :
 US 679851/96-A 19960715 [1996US-0679851]
Intl. Patent Class. :
 E02F-003/96
WPI Cross Reference :
 1998-504961 (G)
```

...